Letters in Applied Microbiology

Edited by

J.-Y. Maillard

Volume 41, 2005

Copyright © 2005 The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

Print ISSN 0266-8254
Online ISSN 1472-765X

Published by
Blackwell Publishing Ltd
OXFORD BOSTON MELBOURNE BERLIN
COPENHAGEN TOKYO AMES

Contents

Volume 41, Issue 1, July 2005

1 Author Guidelines

7 Editorial *J.-Y. Maillard*

8 UNDER THE MICROSCOPE: Biotechnological potential within the genus *Burkholderia* *L.A. O'Sullivan & E. Mahenthiralingam*

12 Species-directed 16S rRNA gene nested PCR detection of *Olsenella* species in association with endodontic diseases *I.N. Rôças & J.F. Siqueira Jr*

17 Genetic characterization of *Chromobacterium isolates* from black water environments in the Brazilian Amazon *M. Hungria, S. Astolfi-Filho, L.M.O. Chueire, M.F. Nicolás, E.B.P. Santos, M.R. Bulbol, A. Souza-Filho, E. Nogueira Assunção, M.G. Germano & A.T.R. Vasconcelos*

24 *In vivo* enzymatic digestion, *in vitro* xylanase digestion, metabolic analogues, surfactants and polyethylene glycol ameliorate laccase production from *Ganoderma* sp. kk-02 *K.K. Sharma, M. Kapoor & R.C. Kuhad*

32 pH effects on 10 *Streptomyces* spp. growth and sporulation depend on nutrients *M. Kontro, U. Lignell, M.-R. Hirvonen & A. Nevalainen*

39 Antimicrobial resistance of *Salmonella* spp. from pigs at slaughter in Spain in 1993 and 2001 *A.I. Agustín, J.J. Carramiñana, C. Rota & A. Herrera*

45 Analysis of the large bowel microbiota of colitic mice using PCR/DGGE *R. Bibiloni, M.A. Simon, C. Albright, B. Sartor & G.W. Tannock*

52 Effects of a topical essential oil-containing formulation on biofilm-forming coagulase-negative staphylococci *J. Al-Shuneigat, S.D. Cox & J.L. Markham*

56 Aerosolization as novel sanitizer delivery system to reduce food-borne pathogens *S.-W. Oh, P.M. Gray, R.H. Dougherty & D.-H. Kang*

61 Real-time PCR detection of *Biscogniauxia mediterranea* in symptomless oak tissue *N. Luchi, P. Capretti, P. Pinzani, C. Orlando & M. Pazzagli*

69 Characterization of a xylanase from the newly isolated thermophilic *Thermomyces lanuginosus* CAU44 and its application in bread making *Z.Q. Jiang, S.Q. Yang, S.S. Tan, L.T. Li & X.T. Li*

77 Susceptibility of *Clostridium perfringens* to C_2–C_{18} fatty acids *E. Skřivanová, M. Marounek, G. Dlouhá & J. Kaňka*

82 Ecology of *Arcobacter* species in chicken rearing and processing *A. Gude, T.J. Hillman, C.R. Helps, V.M. Allen & J.E.L. Corry*

88 Detection and recovery rates achieved using direct plate and enrichment/immunomagnetic separation methods for *Escherichia coli* O157:H7 in minced beef and on bovine hide *S.B. O'Brien, G. Duffy, D. Daly, J.J. Sheridan, I.S. Blair & D.A. McDowell*

94 An extract from teak (*Tectona grandis*) bark inhibited *Listeria monocytogenes* and methicillin resistant *Staphylococcus aureus* *A. Neamatallah, L. Yan, S.J. Dewar & B. Austin*

97 Rumen microbial population dynamics in response to photoperiod *N.R. McEwan, L. Abecia, M. Regensbogenova, C.L. Adam, P.A. Findlay & C.J. Newbold*

Volume 41, Issue 2, August 2005

103 UNDER THE MICROSCOPE: Human astrovirus diagnosis and typing: current and future prospects *S. Guix, A. Bosch & R.M. Pintó*

106 Microbiological survey of prepackaged pâté and ham in New Zealand *T.L. Wong, G.V. Carey-Smith, L. Hollis & J.A. Hudson*

112 Comparison of primers for the detection of pathogenic *Escherichia coli* using real-time PCR *J.D. Barak, K. Sananikone & M.J. Delwiche*

119 Selected culturable enteric bacterial populations are modified by diet acidification and the growth promotant Tylosin *J. Patterson, T. Chapman, E. Hegedus, I. Barchia & J. Chin*

125 Growth of *Bifidobacterium longum* BB536 in *medida* (fermented cereal porridge) and their survival during refrigerated storage *B.M. Kabeir, S. Abd-Aziz, K. Muhammad, M. Shuhaimi & A.M. Yazid*

132 Quantification of *Escherichia coli* by kinetic 5′-nuclease polymerase chain reaction (real-time PCR) oriented to *sfmD* gene *E. Kaclíková, D. Pangallo, K. Oravcová, H. Drahovská & T. Kuchta*

136 Comparison of bioMérieux API 20NE and Remel RapID NF Plus, identification systems of type strains of *Ralstonia pickettii* *C.C. Adley & F.M. Saieb*

141 Oxygen transfer and consumption in a thiosulfate oxidizing bioreactor with sulfur production *A. González-Sánchez, S. Alcántara, E. Razo-Flores & S. Revah*

147 The uses of AFLP for detecting DNA polymorphism, genotype identification and genetic diversity between yeasts isolated from Mexican agave-distilled beverages and from grape musts *E.P. Flores Berrios, J.F. Alba González, J.P. Arrizon Gaviño, P. Romano, A. Capece & A. Gschaedler Mathis*

153 Evaluation of Chromocult® enterococci agar for the isolation and selective enumeration of *Enterococcus* spp. in broilers *J.M. Miranda, C.M. Franco, B.I. Vázquez, C.A. Fente, J. Barros-Velázquez & A. Cepeda*

157 A vancomycin-dependent VanA-type *Enterococcus faecalis* strain isolated in Japan from chicken imported from China *K. Tanimoto, T. Nomura, H. Hamatani, Y.-H. Xiao & Y. Ike*

163 Multicomponent phenol hydroxylase-catalysed formation of hydroxyindoles and dyestuffs from indole and its derivatives *J.Y. Kim, J.-K. Kim, S.O. Lee, C.-K. Kim & K. Lee*

169 Design and application of a *Staphylococcus*-specific single strand conformation polymorphism-PCR analysis to monitor *Staphylococcus* populations diversity and dynamics during production of raw milk cheese *C. Delbès & M.-C. Montel*

175 Improvement of xylanase production in solid-state fermentation by alkali tolerant *Aspergillus versicolor* MKU3 *M. Jeya, S. Thiagarajan & P. Gunasekaran*

179 A clone of *Leptospira interrogans sensu stricto* is the major cause of leptospirosis in the archipelago of Andaman and Nicobar Islands, India *S. Roy, D. Biswas, P. Vijayachari, A.P. Sugunan & S.C. Sehgal*

186 Bacteriological quality of organically grown leaf lettuce in Norway *S. Loncarevic, G.S. Johannessen & L.M. Rørvik*

190 Gene expression and characteristics of a novel fibrinolytic enzyme (subtilisin DFE) in *Escherichia coli R.-H. Zhang, L. Xiao, Y. Peng, H.-Y. Wang, F. Bai & Y.-Z. Zhang*

196 Ochratoxin A-producing species in grapes and sun-dried grapes and their relation to ecophysiological factors *A. Valero, S. Marín, A.J. Ramos & V. Sanchis*

202 Investigation of seven *Vibrio* virulence genes among *Vibrio alginolyticus* and *Vibrio parahaemolyticus* strains from the coastal mariculture systems in Guangdong, China *Z.-Y. Xie, C.-Q. Hu, C. Chen, L.-P. Zhang & C.-H. Ren*

208 Changes in the rRNA levels of specific microbial groups in activated sludge during sample handling and storage *J.E. Keith, J.G. Boyer & F.L. de los Reyes III*

216 Utilization of the metal-cyano complex tetracyanonickelate (II) by *Azotobacter vinelandii C.M. Kao, S.H. Li, Y.L. Chen & S.C. Chen*

221 Increasing the stability of *sacB* transcript improves levansucrase production in *Bacillus subtilis J.P. Daguer, R. Chambert & M.F. Petit-Glatron*

Volume 41, Issue 3, September 2005

227 UNDER THE MICROSCOPE: *Bacillus anthracis*, a story of nature subverted by man *L.W.J. Baillie*

230 Runoff transport of faecal coliforms and phosphorus released from manure in grass buffer conditions *W.L. Stout, Y.A. Pachepsky, D.R. Shelton, A.M. Sadeghi, L.S. Saporito & A.N. Sharpley*

235 Isolation and characterization of Shiga toxin-producing *Escherichia coli* strains from raw milk cheeses in France *C. Vernozy-Rozand, M.P. Montet, M. Berardin, C. Bavai & L. Beutin*

242 Plasmid-mediated bioaugmentation of activated sludge bacteria in a sequencing batch moving bed reactor using pNB2 *S. Bathe, N. Schwarzenbeck & M. Hausner*

248 Accumulation of the compatible solutes, glycine–betaine and ectoine, in osmotic stress adaptation and heat shock cross-protection in the biocontrol agent *Pantoea agglomerans* CPA-2 *N. Teixidó, T.P. Cañamás, J. Usall, R. Torres, N. Magan & I. Viñas*

253 Purification and characterization of extracellular alkaline serine protease from *Stenotrophomonas maltophilia* strain S-1 *T. Miyaji, Y. Otta, T. Shibata, K. Mitsui, T. Nakagawa, T. Watanabe, Y. Niimura & N. Tomizuka*

258 Pulsed field gel electrophoresis to rapidly detect the presence of IncJ conjugative transposon-like elements *J.T. Pembroke & B.M. McGrath*

262 Effect of media, temperature and culture conditions on the species population and antibiotic resistance of enterococci from broiler chickens *C.R. Jackson, P.J. Fedorka-Cray, M.C. Jackson-Hall & L.M. Hiott*

269 Purification and partial chemical characterization of the antimicrobial peptide cerein 8A *D. Bizani, A.P.M. Dominguez & A. Brandelli*

274 Inhibition of bacteriophage K proliferation on *Staphylococcus aureus* in raw bovine milk *S. O'Flaherty, A. Coffey, W.J. Meaney, G.F. Fitzgerald & R.P. Ross*

280 No association between partial depopulation and *Campylobacter* spp. colonization of Dutch broiler flocks *A.D. Russa, A. Bouma, J.C.M. Vernooij, W. Jacobs-Reitsma & J.A. Stegeman*

286 Gaining electricity from *in situ* oxidation of hydrogen produced by fermentative cellulose degradation *J. Niessen, U. Schröder, F. Harnisch & F. Scholz*

291 Screening of benzalkonium chloride resistance in *Listeria monocytogenes* strains isolated during cold smoked fish production *C. Soumet, C. Ragimbeau & P. Maris*

Volume 41, Issue 4, October 2005

297 UNDER THE MICROSCOPE: *Campylobacter jejuni* *W.J. Snelling, M. Matsuda, J.E. Moore & J.S.G. Dooley*

303 Inorganic phosphate has a crucial effect on Cry3Aa δ-endotoxin production *A. Kurt, M. Özkan & G. Özcengiz*

309 Investigations on anti-*Aspergillus* properties of bacterial products *V. Yadav, J. Gupta, R. Mandhan, A.K. Chhillar, R. Dabur, D.D. Singh & G.L. Sharma*

315 Porcine gastric mucin binds to recombinant norovirus particles and competitively inhibits their binding to histo-blood group antigens and Caco-2 cells *P. Tian, M. Brandl & R. Mandrell*

321 Factors affecting the pressure resistance of some *Campylobacter* species *A. Martínez-Rodriguez & B.M. Mackey*

327 Characterization of culturable anaerobic bacteria from the forestomach of an eastern grey kangaroo, *Macropus giganteus* *D. Ouwerkerk, A.V. Klieve, R.J. Forster, J.M. Templeton & A.J. Maguire*

334 LENTICULE discs provide a homogenous format for external quality assessment samples: a comparison with freeze-dried samples for shellfish microbiology *Z. Prior, N. Andrews & J.E. Russell*

341 Occurrence of virulence factors among human intestinal enterococcal isolates *H. Lempiäinen, K. Kinnunen, A. Mertanen & A. von Wright*

345 Guar gum: a cheap substitute for agar in microbial culture media *R. Jain, V. Anjaiah & S.B. Babbar*

350 Identification of $SCP2^{165}$, a new SCP2-derived plasmid of *Streptomyces coelicolor* A3(2) *S. Marineo, E. Lecat, M.G. Cusimano, A. Giardina, V. Di Caro & A.M. Puglia*

355 *Bifidobacterium*-selective isolation and enumeration from chicken caeca by a modified oligosaccharide antibiotic-selective agar medium *S.N. Thitaram, G.R. Siragusa & A. Hinton Jr*

361 Construction of a new high-copy number shuttle vector of *Bacillus thuringiensis* *L.A. Mesrati, M.D. Karray, S. Tounsi & S. Jaoua*

367 Comparison of populations of mould species in homes in the UK and USA using mould-specific quantitative PCR *S.J. Vesper, L.J. Wymer, T. Meklin, M. Varma, R. Stott, M. Richardson & R.A. Haugland*

Volume 41, Issue 5, November 2005

375 UNDER THE MICROSCOPE: The emergence of multidrug resistant *Acinetobacter* species: a major concern in the hospital setting *G.W. Hanlon*

379 Improved bioluminescent enzyme immunoassay for the rapid detection of *Salmonella* in chicken meat samples *S. Fukuda, H. Tatsumi, S. Igimi & S. Yamamoto*

385 The effects of time and temperature on flow cytometry enumerated live *Cryptosporidium parvum* oocysts *M.W. Ware & F.W. Schaefer III*

390 *In vitro* influence of bacterial mixtures on *Fusarium verticillioides* growth and fumonisin B_1 production: effect of seeds treatment on maize root colonization *L. Cavaglieri, J. Orlando & M. Etcheverry*

397 The heterogeneity of *Campylobacter jejuni* and *Campylobacter coli* strains isolated from healthy cattle *M.N. Açik & B. Çetinkaya*

404 *Ex vivo* gingival-biofilm consortia *L. Vitkov, M. Hannig, W.D. Krautgartner, M. Herrmann, K. Fuchs, M. Klappacher & A. Hermann*

412 High efficiency ethanol fermentation by entrapment of *Zymomonas mobilis* into LentiKats® *M. Rebroš, M. Rosenberg, R. Stloukal & L. Krištofiková*

417 Phylogenetic diversity of fluorescent pseudomonads in agricultural soils from Korea *S.-W. Kwon, J.-S. Kim, D.E. Crowley & C.-K. Lim*

424 Acetaldehyde addition and pre-adaptation to the stressor together virtually eliminate the ethanol-induced lag phase in *Saccharomyces cerevisiae* *F. Vriesekoop & N.B. Pamment*

428 Modulation of water activity on fungicide effect on *Aspergillus niger* growth in Sabouraud dextrose agar medium *X. Ni & D.A. Streett*

434 Growth and pectate-lyase activity of the ruminal bacterium *Lachnospira multiparus* in the presence of short-chain organic acids *R.A. Paggi, C. Rodríguez & J.P. Fay*

440 Improvement of ethanol production in very high gravity fermentation by horse gram (*Dolichos biflorus*) flour supplementation *L.V.A. Reddy & O.V.S. Reddy*

Volume 41, Issue 6, December 2005

445 UNDER THE MICROSCOPE: Are yeasts free-living unicellular eukaryotes? *J.R. Dickinson*

448 Thermal tolerance of acid-adapted and unadapted *Salmonella*, *Escherichia coli* O157:H7, and *Listeria monocytogenes* in cantaloupe juice and watermelon juice *M. Sharma, B.B. Adler, M.D. Harrison & L.R. Beuchat*

454 Isolation of culturable yeasts from market wines and evaluation of the 5·8S-ITS rDNA sequence analysis for identification purposes *A.A. Nisiotou & G.R. Gibson*

464 Antimicrobial activity of a nisin-activated plastic film for food packaging *G. Mauriello, E. De Luca, A. La Storia, F. Villani & D. Ercolini*

470 Detection of *Legionella pneumophila* in water samples by species-specific real-time and nested PCR assays *L. Fiume, M.A. Bucca Sabattini & G. Poda*

476 Triclosan–bacteria interactions: single or multiple target sites? *M. Gomez Escalada, A.D. Russell, J.-Y. Maillard & D. Ochs*

482 Isolation and characterization of two anti-staphylococcal bacteriophages specific for pathogenic *Staphylococcus aureus* associated with bovine infections *S. O'Flaherty, R.P. Ross, J. Flynn, W.J. Meaney, G.F. Fitzgerald & A. Coffey*

487 Resuscitation of acid-injured *Salmonella* in enrichment broth, in apple juice and on the surfaces of fresh-cut cucumber and apple *C.-H. Liao & W.F. Fett*

493 Release studies of *Lactobacillus casei* strain Shirota from chitosan-coated alginate-starch microcapsules in *ex vivo* porcine gastrointestinal contents *C. Iyer, M. Phillips & K. Kailasapathy*

498 L-leucine aminopeptidase production by filamentous *Aspergillus* fungi *K.M. Nampoothiri, V. Nagy, K. Kovacs, G. Szakacs & A. Pandey*

505 A simple cultural method for the presumptive detection of the yeasts *Brettanomyces/Dekkera* in wines *J.A. Couto, A. Barbosa & T. Hogg*

511 Index